

CLAIMS

We claim:

1. A method of detecting target analytes in a sample comprising:
 - a) providing an array comprising a plurality of electrodes, at least one of which comprises an assay complex comprising:
 - i) a capture binding ligand covalently attached to said electrode;
 - ii) a target analyte; and
 - iii) an electron transfer moiety;
 - b) applying a first input signal to said assay complex;
 - c) receiving an output signal;
 - d) processing said output signal to detect the presence of said target analytes.
2. A method according to claim 1 wherein said processing comprises higher harmonic analysis.
3. A method according to claim 1 wherein said processing comprises a fast Fourier transform (FFT) analysis.
4. A method according to claim 1 wherein said processing comprises JTFT.
5. A method according to claim 1 wherein said processing comprises the use of a peak recognition scheme.
6. A method according to claim 1 wherein said processing comprises a digital filter.
7. A method according to claim 1 wherein said processing comprises signal averaging.
8. A method according to claim 1 wherein said processing comprises spectral analysis.
9. A method according to claim 1 wherein said processing comprises peak recognition.
10. A method of detecting target analytes in a sample comprising:
 - a) providing an array comprising a plurality of electrodes, at least one of which comprises an assay complex comprising:
 - i) a capture binding ligand covalently attached to said electrode;
 - ii) a target analyte; and

iii) an electron transfer moiety;

b) applying a first input signal to said assay complex, wherein said input signal comprises the sum of multiple frequencies at a plurality of amplitudes;

c) receiving an output signal;

d) processing said output signal to detect the presence of said target analytes.

add
a⁴

Add
a⁴